

dancoo
Quiet Simple Pods



V FAMILY

dancoo.com

V FAMILY

dancoo V



dancoo V

Packaging and transportatinon

Net weight (kg)
265

Gross weight (kg)
343

UNIT/20GP
15

UNIT/40GP
30

UNIT/40HQ
32

Packaging size
2270 × 1100 × 550mm

Feature

Exterior
Birch plywood with red oak veneer

Glass (door & rear)
Tempered glass

Frame and table
Laminate on plywood

Weight
265.4

Measurements

Exterior (height, width, depth)
220 × 102 × 101.8cm

Interior (height, width, depth)
200 × 84.8 × 96cm

Door (height, width)
202.8 × 87.2cm

Table (width, depth, height)
84.4 × 30 × 12cm
Height from the floor to table: 105cm

Power consumption

Power consumption standard

3.24W while in use
LED light :1.8W
Fans in total: 1.44W

0.75W standby power consumption or up on request

Power consumption option

LED light: LED brightness adjustment options
Fans in total: up to14.4W
Input: 110-240VAC, 10A, 50/60Hz

Outlets

Regular table:

Power socket + optional LAN cable (extra cost)

Output values

Output VAC (power socket): 100–240 VAC, 8 A, 50–60 Hz

Output USB charging: USB Type A socket, Type C option,
Maximum combined output 18 W

Air Ventilation

Air Ventilation Ventilation rate:

More than 1m³/ minute standard

Adjustable higher ventilation options

Acoustic performance

For speech level reduction (D_{s,a}) and Noise isolation class (NIC),
third party test reports are available per request

Certificates



V FAMILY

dancoo 2V



dancoo 2V

Packaging and transportation

Net weight (kg)
500

Gross weight (kg)
580

UNIT/20GP
8

UNIT/40GP
17

UNIT/40HQ
20

Packaging size
2270 × 1100 × 550mm
+900 × 900 × 1100mm

Feature

Exterior
Birch plywood with red oak veneer

Glass (door & rear)
Tempered glass

Frame and table
Laminate on plywood

Weight
500

Measurements

Exterior (height, width, depth)
220 × 222 × 121.8cm

Interior (height, width, depth)
204 × 206 × 111cm

Door (height, width)
202.8 × 87.2cm

Table (width, depth, height)
70 × 53 × 64cm

Power consumption

Power consumption standard

6.48W while in use
LED light :3.6W
Fans in total: 2.88W

0.75W standby power consumption or up on request

Power consumption option

LED light: LED brightness adjustment options
Fans in total: up to 28.8W
Input: 110-240VAC, 10A, 50/60Hz

Outlets

Regular sofa:

Power socket + optional LAN cable (extra cost)

Output values

Output VAC (power socket): 100–240 VAC, 8 A, 50–60 Hz

Output USB charging: USB Type A socket, Type C option,
Maximum combined output 18 W

Air Ventilation

Air Ventilation Ventilation rate:

More than 2m³/ minute standard

Adjustable higher ventilation options

Acoustic performance

For speech level reduction (D_{s,a}) and Noise isolation class (NIC),
third party test reports are available per request

Certificates






V FAMILY

dancoo V / 2V

Color options - Exterior color options




Birch plywood with red oak veneer light




Birch plywood with red oak veneer dark


Color options - Sofa Upholstery




HE512-05




HE512-10




HE512-06




HE512-20




HE512-11



HE512-09




HE512-13




Artificial leather


Color options - Interior - PET acoustic felt




PC2033




FG2125




814




PP2028




FP2016




FPE2120




PG2039




FB2021




PO2019



FG2032




FE2121




FC2110




PC2022




PB2037




PG2018



PB2025



817



A028

• The color number starting with F meets the requirements for the flame spread index and smoke developed index of class A Interior walls and ceilings finish category in accordance with ASTM E84-2021a

dancoo

Quiet Simple Pods

In our noisy and complex world
Quiet and simple is rare and appreciated
Quiet and simple is closer to truth

Quiet Simple Pods for Quiet Office

dancoo.com